

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
PATENT TRANSMITTAL FORM

Applicant(s): Rolf Steiner
Serial No.: 10/069,084
Filed: January 16, 2002
For: MINIMIZING WINDOWING EFFECTS IN PARTICULAR FOR
SIGNAL RECOVERY
Examiner: Not yet assigned
Confirmation No: 9104 Attorney Docket: 20 99 0025

Box PCT
COMMISSIONER FOR PATENTS
Washington, D.C. 20231


Dear Sir:

Transmitted herewith is:

1. Response to Notification of Defective Response;
2. Transmittal letter in duplicate; and
3. Postcard.

Please charge any additional fees or credit any such fees, if necessary to Deposit Account No. 01-0467 in the name of Ohlandt, Greeley, Ruggiero & Perle. A duplicate copy of this sheet is attached.

Respectfully submitted,



Date: July 17, 2002

Paul D. Greeley
Reg. No. 31,019
Ohlandt, Greeley, Ruggiero & Perle, L.L.P.
One Landmark Square, 10th Floor
Stamford, Connecticut 06901-2682
(203) 327-4500

CERTIFICATION OF EXPRESS MAIL

I hereby certify that this correspondence is being deposited with the United States Postal Service as Express Mail, Post Office to Addressee, certificate no. **EV132413187US** in an envelope addressed to: Commissioner for Patents, Box PCT, Washington, D.C. 20231, on July 17, 2002.

Allison Berkman
Name

Allison Berkman
Signature


7/17/02
Date

Box PCT
COMMISSIONER FOR PATENTS
Washington, D.C. 20231

Dear Sir:

In addition, we have made several attempts to discuss this matter with Paulette R. Kidwell of the United States Patent and Trademark Office for the above-identified application. She was not able to retrieve this file and instructed us to submit a Notification of Defective Response indicating that a Sequence Listing was not required for this electrical application.

Respectfully submitted,


Paul D. Greeley
Reg. No. 31,019
Ohlandt, Greeley, Ruggiero & Perle, L.L.P.
One Landmark Square, 10th Floor
Stamford, Connecticut 06901-2682
(203) 327-4500